

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Muchea

report date 12 Mar 2018

Yarding Change ¹⁴⁵²
-17

comparison date 06/03/2018

There were 1,450 yarded, similar numbers to last week, however the quality eased. One manufacturer did not participate due to an influx of direct cattle to the works consequently heavy of manufacturing types and easing 20c to 25c/kg. Young cattle maintained their prices to remain firm and that was aided by solid grazier demand.

Vealer steers sold from 240c to 348c/kg firm. Vealer heifers were mainly lighter local types and sold from 210c to 290c with pastorals from 190c to 240c/kg firm. Local yearling steers, grain supplemented, made from 270c to 290c/kg. Store types made from 200c to 306c/kg to feeders. Pastoral types under 330kg made from 180c to 258c/kg firm. Local yearling heifers over 330kg sold from 220c to 266c/kg. Pastoral types under 330kg made from 100c to 140c/kg firm. The over 330kg range made from 200c to 234c/kg firm.

Local grown steers made from 200c to 278c and pastoral types made from 240c to 278c/kg firm. Local grown heifers made from 200c to 260c, down 10c/kg. Light weight cows to feeders sold from 120c to 180c, medium weight score 2 cows made from 180c to 215c, down 10c, and prime cows made from 195c to 228c, 25c to 30c/kg easier. Light weight bulls to live export sold at 312c and medium weights to same from 230c to 250c/kg firm. Heavy prime bulls made 210c to 230c, 20c/kg easier.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200	FD	C	2	8	348.0	- 348.0	348.0	N/Q	-			644	- 644	644
200-280	FD	C	2	12	274.0	- 328.0	319.0	N/Q	-			575	- 827	785
	PC	D	2	8	180.0	- 260.0	236.5	N/Q	383	- 542	494	382	- 629	558
	FD	D	2	12	200.0	- 270.0	256.7	N/Q	-			438	- 640	574
	FD	E	2	5	246.0	- 246.0	246.0	N/Q	-			509	- 509	509
280-330	FD	C	2	44	240.0	- 326.0	307.5	24	-			720	- 991	950
	LE	C	2	6	308.0	- 308.0	308.0	N/Q	642	- 642	642	896	- 896	896
330+		C	3	2	300.0	- 300.0	300.0	N/Q	577	- 577	577	1218	- 1218	1218
				97	180.0	348.0			383	642		382	1218	
Vealer Heifer														
0-200	FD	C	2	10	290.0	- 290.0	290.0	-2	-			560	- 560	560
200-280	FD	C	2	20	268.0	- 272.0	271.0	-1	-			611	- 680	663
	PC	D	2	16	210.0	- 240.0	223.1	N/Q	447	- 500	470	449	- 602	516
	FD	D	2	16	230.0	- 280.0	263.6	N/Q	-			559	- 700	615
	FD	E	2	3	180.0	- 180.0	180.0	N/Q	-			365	- 365	365
280-330	FD	C	2	4	240.0	- 260.0	250.0	30	-			679	- 858	769
		C	3	4	262.0	- 262.0	262.0	N/Q	524	- 524	524	773	- 773	773
	FD	D	2	3	246.0	- 260.0	255.3	N/Q	-			800	- 845	830
	PC	D	2	1	190.0	- 190.0	190.0	N/Q	422	- 422	422	555	- 555	555
				77	180.0	290.0			422	524		365	858	
Yearling Steer														
200-280	PC	D	2	4	180.0	- 180.0	180.0	N/Q	383	- 383	383	371	- 457	407
	PC	E	2	2	120.0	- 120.0	120.0	N/Q	267	- 267	267	283	- 283	283
280-330	FD	C	2	4	262.0	- 290.0	278.0	N/Q	-			820	- 934	860
	FD	C	3	2	268.0	- 268.0	268.0	N/Q	-			871	- 871	871

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	4	290.0	- 294.0	292.0	N/Q	-			940	- 953	946
	PC	D	3	4	180.0	- 222.0	211.0	N/Q	383	- 458	432	518	- 682	634
		D	3	1	240.0	- 240.0	240.0	N/Q	480	- 480	480	787	- 787	787
330-400		C	2	1	220.0	- 220.0	220.0	N/Q	458	- 458	458	854	- 854	854
	FD	C	2	46	250.0	- 306.0	286.4	6	-			946	- 1128	1078
		C	3	12	240.0	- 268.0	264.0	N/Q	480	- 558	530	960	- 1056	1047
	FD	C	3	9	235.0	- 296.0	284.3	-35	-			940	- 1125	1090
	PC	C	3	10	258.0	- 258.0	258.0	N/Q	516	- 516	516	1032	- 1032	1032
	FD	D	2	8	200.0	- 298.0	271.3	N/Q	-			760	- 1104	991
	PC	D	2	3	200.0	- 230.0	213.3	N/Q	426	- 489	454	664	- 897	775
	PC	D	3	17	250.0	- 266.0	259.9	N/Q	500	- 532	520	990	- 1000	992
	FD	D	3	5	270.0	- 300.0	288.0	N/Q	-			899	- 1149	1049
		D	3	1	250.0	- 250.0	250.0	N/Q	500	- 500	500	945	- 945	945
400+		C	2	5	260.0	- 260.0	260.0	N/Q	542	- 542	542	1056	- 1056	1056
	FD	C	2	20	268.0	- 270.0	269.0	N/Q	-			1126	- 1131	1128
	PC	C	2	4	246.0	- 246.0	246.0	N/Q	513	- 513	513	1021	- 1021	1021
		C	3	60	250.0	- 290.0	265.7	N/Q	500	- 580	526	1080	- 1359	1215
	PC	C	3	4	250.0	- 260.0	252.5	N/Q	500	- 500	500	1220	- 1269	1232
	FD	C	3	24	220.0	- 268.0	263.2	3	-			945	- 1249	1183
	FD	D	2	7	260.0	- 268.0	261.9	N/Q	-			1092	- 1099	1095
	PC	D	2	10	260.0	- 260.0	260.0	N/Q	542	- 542	542	1058	- 1058	1058
	PC	D	3	25	250.0	- 268.0	260.8	N/Q	500	- 536	522	1058	- 1118	1094
	FD	D	3	6	258.0	- 258.0	258.0	N/Q	-			1176	- 1176	1176
		D	3	6	248.0	- 250.0	248.3	N/Q	496	- 500	497	1161	- 1255	1176
				304	120.0	306.0			267	580		283	1359	
Yearling Heifer														
0-200	PC	D	2	20	110.0	- 140.0	132.5	N/Q	244	- 298	285	205	- 273	256
	PC	E	2	15	128.0	- 128.0	128.0	N/Q	284	- 284	284	238	- 238	238
200-280	PC	D	2	55	110.0	- 218.0	152.5	N/Q	244	- 454	324	237	- 610	398
	PC	E	2	7	100.0	- 130.0	123.7	N/Q	222	- 289	275	260	- 325	316
280-330	PC	D	2	45	142.0	- 218.0	197.5	27	302	- 438	409	403	- 650	576
	FD	D	2	10	238.0	- 238.0	238.0	N/Q	-			735	- 735	735
	PC	D	3	15	202.0	- 228.0	210.7	N/Q	404	- 456	421	568	- 736	624
	PC	E	2	5	100.0	- 140.0	116.0	N/Q	222	- 304	254	284	- 452	357
330-400	FD	C	2	1	240.0	- 240.0	240.0	N/Q	-			802	- 802	802
		C	2	1	232.0	- 232.0	232.0	N/Q	483	- 483	483	835	- 835	835
		C	3	35	230.0	- 245.0	240.7	N/Q	460	- 490	481	828	- 965	921
	FD	C	3	8	228.0	- 228.0	228.0	-16	-			853	- 853	853
	FD	D	2	7	200.0	- 230.0	215.7	N/Q	-			696	- 805	750
	PC	D	2	33	166.0	- 228.0	200.1	N/Q	361	- 475	423	568	- 871	722
	PC	D	3	40	220.0	- 232.0	227.3	N/Q	440	- 464	455	728	- 923	847
		D	3	4	200.0	- 250.0	227.5	N/Q	417	- 500	469	764	- 960	873
		E	3	1	210.0	- 210.0	210.0	N/Q	420	- 420	420	802	- 802	802
400+		C	3	41	220.0	- 266.0	253.1	N/Q	440	- 532	504	915	- 1354	1148

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	22	254.0	- 262.0	256.5	37	-			1102	- 1121	1108
	FD	D	2	3	234.0	- 234.0	234.0	N/Q	-			1060	- 1060	1060
		D	2	3	192.0	- 214.0	206.7	N/Q	400	- 446	431	933	- 1029	997
		D	3	9	242.0	- 260.0	250.0	N/Q	484	- 520	500	1009	- 1186	1088
	PC	D	3	11	200.0	- 234.0	227.8	N/Q	400	- 468	456	886	- 978	961
				391	100.0	266.0			222	532		205	1354	
Grown Steer														
0-400	PC	D	2	1	196.0	- 196.0	196.0	N/Q	408	- 408	408	768	- 768	768
400-500		D	2	1	200.0	- 200.0	200.0	N/Q	417	- 417	417	936	- 936	936
500-600		C	3	11	240.0	- 278.0	243.5	-23	480	- 535	485	1382	- 1601	1402
		D	2	17	200.0	- 238.0	230.4	N/Q	417	- 496	480	1164	- 1369	1255
		D	3	6	228.0	- 246.0	242.0	N/Q	456	- 492	484	1167	- 1405	1351
	PC	D	3	2	240.0	- 278.0	259.0	N/Q	480	- 535	507	1430	- 1662	1546
600-750		D	3	13	220.0	- 246.0	227.5	N/Q	423	- 473	438	1480	- 1614	1515
				51	196.0	278.0			408	535		768	1662	
Grown Heifer														
0-540		D	3	2	200.0	- 238.0	219.0	N/Q	400	- 476	438	996	- 1166	1081
540+		D	3	1	260.0	- 260.0	260.0	N/Q	520	- 520	520	1435	- 1435	1435
				3	200.0	260.0			400	520		996	1435	
Cows														
0-400		D	2	25	144.0	- 170.0	166.6	1	320	- 354	350	516	- 660	585
		D	3	12	198.0	- 198.0	198.0	-2	396	- 396	396	758	- 758	758
		E	2	5	70.0	- 160.0	118.0	N/Q	156	- 340	256	238	- 558	407
400-520	FD	D	2	40	120.0	- 180.0	166.3	-19	-	-	-	523	- 880	745
		D	2	62	150.0	- 198.0	187.1	-2	333	- 413	390	686	- 980	847
	FD	D	3	8	200.0	- 200.0	200.0	N/C	-	-	-	872	- 872	872
		D	3	93	195.0	- 216.0	204.9	-7	390	- 432	410	842	- 1069	954
		E	2	3	120.0	- 130.0	123.3	N/Q	267	- 289	274	504	- 594	564
520+	FD	D	2	5	170.0	- 170.0	170.0	N/Q	-	-	-	955	- 955	955
		D	2	27	180.0	- 215.0	202.0	10	375	- 448	422	1003	- 1372	1255
		D	3	59	180.0	- 228.0	216.1	-7	375	- 447	429	1058	- 1632	1398
		E	2	2	128.0	- 155.0	141.5	N/Q	284	- 330	307	791	- 822	806
				341	70.0	228.0			156	448		238	1632	
Bulls														
0-450	FD	C	2	1	200.0	- 200.0	200.0	N/Q	-	-	-	716	- 716	716
	LE	C	3	1	312.0	- 312.0	312.0	N/Q	578	- 578	578	730	- 730	730
	FD	C	3	2	304.0	- 304.0	304.0	N/Q	-	-	-	693	- 693	693
	LE	D	2	23	230.0	- 250.0	237.0	37	442	- 500	466	773	- 915	831
	FD	D	2	9	210.0	- 272.0	235.3	40	-	-	-	500	- 939	738
	LE	D	3	8	240.0	- 280.0	250.0	N/Q	480	- 519	490	823	- 858	842
	FD	E	2	4	50.0	- 150.0	75.0	N/Q	-	-	-	100	- 311	152
450-600	FD	D	2	4	184.0	- 220.0	202.0	N/Q	-	-	-	960	- 1043	1002
		D	2	1	194.0	- 194.0	194.0	N/Q	373	- 373	373	982	- 982	982
		D	3	3	210.0	- 230.0	220.0	N/Q	375	- 411	393	1168	- 1260	1220
600+		B	3	2	210.0	- 210.0	210.0	N/Q	375	- 375	375	1840	- 2079	1959

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	2	1	188.0	- 188.0	188.0	N/Q	376	- 376	376	1278	- 1278	1278
	DA	D	2	3	185.0	- 198.0	191.7	N/Q	370	- 384	378	1540	- 1889	1705
		D	3	32	176.0	- 238.0	214.6	N/Q	367	- 418	393	1126	- 2113	1560
				94	50.0	312.0			367	578		100	2113	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.