

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Muchea

report date 04 Feb 2019

Yarding Change 1548

comparison date 28/01/2019

Muchea cattle sale numbers were up by 500 with 1,548 yarded. The additional cattle were mainly light weight pastoral vealers and yearling heifers and they took a fall of 10c to 20c/kg on the weight of the numbers penned. In the local section of the yarding vealer and yearlings improved in quality and gained 5c/kg. Cows were generally 5c to 10c/kg easier. Heavy bulls gained 10c/kg on additional competition.

Local vealer steers sold mainly from 226c to 300c to feeders, up 5c/kg. Local vealer heifers sold mainly from 160c to 260c/kg to feeders, to be generally firm. Yearling steers to the trade sold from 252c to 288c, gaining 5c/kg. Yearling heifers to the trade sold from 180c to 244c, up 5c/kg.

Grown steers sold from 244c to 252c, to be firm as were grown heifers at 200c to 222c/kg. Very Light cows, including pastorals, to feeders sold from 50c to 110c, down 10c/kg. Medium weight cows sold from 150c to 184c, down 5c with heavy prime cows from 180c to 192c, back 10c/kg. Bulls were generally firm on the light and medium weights to live export with light weights from 228c to 280c/kg. Medium weights sold from 250c to 278c and prime types gained 10c on the back of increased competition to sell from 190c to 218c/kg.

In the pastoral section light plain vealer heifers sold between 24c and 80c, down 20c/kg. Light yearling heifers sold from 90c to 140c, down 10c, as medium weights sold from 160c to 180c/kg. Yearling steers remained firm at 140c to 204c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Vealer Steer</b>														
0-200	FD	B	2	20	296.0	- 300.0	298.0	N/Q	-			497	- 558	528
200-280	FD	B	2	5	300.0	- 300.0	300.0	N/Q	-			687	- 687	687
	FD	C	2	30	226.0	- 300.0	275.3	N/Q	-			567	- 810	729
	FD	C	3	5	270.0	- 270.0	270.0	N/Q	-			724	- 724	724
	FD	D	2	3	170.0	- 170.0	170.0	N/Q	-			347	- 347	347
280-330	FD	C	2	28	240.0	- 286.0	274.9	N/Q	-			758	- 884	849
	FD	C	3	11	260.0	- 280.0	270.9	N/Q	-			754	- 907	787
330+	FD	B	3	10	286.0	- 286.0	286.0	N/Q	-			1032	- 1032	1032
	FD	C	2	17	260.0	- 264.0	260.9	N/Q	-			931	- 1027	997
		C	3	1	290.0	- 290.0	290.0	N/Q	569	- 569	569	1114	- 1114	1114
	FD	C	3	51	258.0	- 286.0	274.6	N/Q	-			875	- 1101	1011
				<b>181</b>	<b>170.0</b>	<b>300.0</b>			<b>569</b>	<b>569</b>		<b>347</b>	<b>1114</b>	
<b>Vealer Heifer</b>														
0-200	FD	B	2	10	250.0	- 250.0	250.0	N/Q	-			460	- 460	460
	PC	E	2	30	24.0	- 56.0	45.0	N/Q	56	- 130	105	46	- 107	86
200-280	FD	B	2	5	260.0	- 260.0	260.0	N/Q	-			712	- 712	712
	FD	C	2	35	160.0	- 250.0	208.3	N/Q	-			379	- 618	498
	FD	D	2	50	118.0	- 190.0	152.4	N/Q	-			270	- 511	371
	PC	D	2	23	80.0	- 80.0	80.0	N/Q	178	- 178	178	163	- 163	163
280-330	FD	B	2	10	258.0	- 258.0	258.0	N/Q	-			725	- 725	725
	FD	C	2	2	170.0	- 218.0	194.0	N/Q	-			483	- 615	549
		C	2	10	228.0	- 228.0	228.0	N/Q	475	- 475	475	686	- 686	686
		C	3	10	220.0	- 220.0	220.0	N/Q	440	- 440	440	669	- 669	669

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330+	FD	C	3	40	236.0	- 258.0	248.5	N/Q	-			732	- 765	752
		D	2	1	160.0	- 160.0	160.0	N/Q	340	- 340	340	486	- 486	486
	FD	D	3	2	150.0	- 150.0	150.0	N/Q	-			489	- 489	489
	FD	B	3	10	242.0	- 242.0	242.0	N/Q	-			820	- 820	820
		C	2	1	190.0	- 190.0	190.0	N/Q	396	- 396	396	678	- 678	678
	FD	C	2	20	228.0	- 238.0	233.0	N/Q	-			788	- 805	796
	FD	C	3	40	214.0	- 248.0	238.8	N/Q	-			736	- 905	826
		C	3	8	228.0	- 260.0	244.0	N/Q	456	- 520	488	814	- 1063	939
	FD	D	3	6	180.0	- 180.0	180.0	N/Q	-			599	- 599	599
					<b>313</b>	<b>24.0</b>	<b>260.0</b>		<b>56</b>	<b>520</b>		<b>46</b>	<b>1063</b>	
<b>Yearling Steer</b>														
200-280	FD	D	2	2	80.0	- 80.0	80.0	N/Q	-			202	- 202	202
	PC	E	2	2	100.0	- 202.0	151.0	N/Q	222	- 449	336	258	- 521	390
280-330	PC	C	3	2	220.0	- 254.0	237.0	N/Q	440	- 508	474	678	- 782	730
	PC	D	2	3	130.0	- 158.0	148.7	N/Q	289	- 336	320	416	- 501	473
330-400		C	2	5	240.0	- 240.0	240.0	N/Q	500	- 500	500	874	- 874	874
	FD	C	2	8	230.0	- 230.0	230.0	N/Q	-			803	- 803	803
		C	3	6	240.0	- 258.0	243.0	N/Q	500	- 516	503	842	- 960	862
	PC	D	2	2	140.0	- 218.0	179.0	N/Q	311	- 454	383	496	- 820	658
	FD	D	2	1	212.0	- 212.0	212.0	N/Q	-			823	- 823	823
	PC	D	3	1	248.0	- 248.0	248.0	N/Q	496	- 496	496	913	- 913	913
400+	FD	C	2	5	224.0	- 224.0	224.0	N/Q	-			1082	- 1082	1082
	FD	C	3	25	250.0	- 272.0	258.8	N/Q	-			1183	- 1243	1207
		C	3	50	252.0	- 288.0	269.7	N/Q	504	- 576	539	1084	- 1267	1227
	PC	D	2	1	192.0	- 192.0	192.0	N/Q	384	- 384	384	1041	- 1041	1041
					<b>113</b>	<b>80.0</b>	<b>288.0</b>		<b>222</b>	<b>576</b>		<b>202</b>	<b>1267</b>	
<b>Yearling Heifer</b>														
0-200	PC	E	2	30	34.0	- 74.0	54.0	N/Q	79	- 172	126	56	- 141	99
200-280	FD	D	2	5	158.0	- 158.0	158.0	N/Q	-			433	- 433	433
	PC	D	2	28	90.0	- 140.0	110.7	N/Q	200	- 298	241	233	- 361	292
		D	2	4	140.0	- 140.0	140.0	N/Q	298	- 298	298	353	- 353	353
	PC	E	2	10	62.0	- 62.0	62.0	N/Q	144	- 144	144	147	- 147	147
280-330	FD	C	2	10	180.0	- 180.0	180.0	N/Q	-			576	- 576	576
		D	2	5	140.0	- 140.0	140.0	N/Q	292	- 292	292	430	- 430	430
	PC	E	1	1	20.0	- 20.0	20.0	N/Q	44	- 44	44	60	- 60	60
330-400		C	2	4	180.0	- 180.0	180.0	N/Q	375	- 375	375	720	- 720	720
		C	3	17	190.0	- 238.0	221.5	N/Q	396	- 476	448	724	- 936	869
		D	2	1	150.0	- 150.0	150.0	N/Q	319	- 319	319	527	- 527	527
	PC	D	2	9	160.0	- 162.0	161.8	N/Q	333	- 338	337	539	- 560	542
	FD	D	2	2	180.0	- 180.0	180.0	N/Q	-			632	- 632	632
	PC	D	3	30	180.0	- 180.0	180.0	N/Q	360	- 360	360	637	- 688	662
400+		C	2	11	180.0	- 196.0	181.5	N/Q	375	- 408	378	817	- 956	830
		C	3	14	210.0	- 244.0	236.6	N/Q	420	- 488	473	914	- 1105	1078
					<b>181</b>	<b>20.0</b>	<b>244.0</b>		<b>44</b>	<b>488</b>		<b>56</b>	<b>1105</b>	
<b>Grown Steer</b>														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
500-600	PC	C	3	17	244.0	- 252.0	248.9	N/Q	488	- 504	498	1250	- 1273	1267	
		D	3	2	230.0	- 248.0	239.0	N/Q	460	- 486	473	1270	- 1369	1319	
C		3	1	244.0	- 244.0	244.0	N/Q	488	- 488	488	1503	- 1503	1503		
D		3	3	220.0	- 220.0	220.0	N/Q	423	- 423	423	1335	- 1335	1335		
D		3	2	248.0	- 248.0	248.0	N/Q	496	- 496	496	1607	- 1607	1607		
				25	220.0	252.0			423	504		1250	1607		
Grown Heifer															
0-540		C	3	17	200.0	- 220.0	210.5	N/Q	400	- 440	421	790	- 1121	948	
		D	3	1	222.0	- 222.0	222.0	N/Q	444	- 444	444	1190	- 1190	1190	
540+		D	3	1	192.0	- 192.0	192.0	N/Q	384	- 384	384	1098	- 1098	1098	
				19	192.0	222.0			384	444		790	1190		
Cows															
0-400	FD	D	2	24	100.0	- 166.0	132.3	N/Q	222	- 346	278	317	- 651	439	
		D	2	15	102.0	- 110.0	107.3	N/Q		-		308	- 351	322	
		E	1	1	50.0	- 50.0	50.0	N/Q	116	- 116	116	199	- 199	199	
		FD	E	1	18	50.0	- 86.0	60.0	N/Q		-		154	- 270	186
		FD	E	2	15	26.0	- 70.0	55.3	N/Q		-		57	- 249	185
400-520	FD	D	2	15	94.0	- 128.0	105.3	N/Q		-		393	- 611	465	
		D	2	78	122.0	- 178.0	154.9	N/Q	260	- 371	326	508	- 881	735	
		D	3	72	178.0	- 192.0	186.3	N/Q	356	- 384	373	846	- 975	918	
520+		D	2	57	150.0	- 184.0	172.9	N/Q	319	- 383	361	815	- 1098	959	
		D	3	61	180.0	- 190.0	184.7	N/Q	360	- 380	369	950	- 1402	1111	
		D	4	1	170.0	- 170.0	170.0	N/Q	340	- 340	340	1098	- 1098	1098	
				357	26.0	192.0			116	384		57	1402		
Bulls															
0-450	FD	C	2	1	248.0	- 248.0	248.0	N/Q		-		756	- 756	756	
		C	3	1	214.0	- 214.0	214.0	N/Q	428	- 428	428	725	- 725	725	
	FD	D	2	120	70.0	- 278.0	213.1	N/Q		-		222	- 1187	524	
	LE	D	2	42	228.0	- 280.0	258.0	N/Q	475	- 560	528	555	- 918	687	
		D	3	3	120.0	- 150.0	130.0	N/Q	255	- 313	274	436	- 545	472	
	LE	D	3	65	250.0	- 286.0	274.5	N/Q	500	- 560	536	673	- 929	807	
	FD	D	3	10	270.0	- 276.0	273.0	N/Q		-		1002	- 1172	1087	
		E	2	12	30.0	- 62.0	56.7	N/Q	70	- 144	132	50	- 99	90	
	FD	E	2	5	50.0	- 50.0	50.0	N/Q		-		96	- 96	96	
450-600		D	2	1	150.0	- 150.0	150.0	N/Q	313	- 313	313	873	- 873	873	
		FD	D	2	1	218.0	- 218.0	218.0	N/Q		-		1055	- 1055	1055
		FD	D	3	10	240.0	- 260.0	250.0	N/Q		-		1245	- 1334	1290
600+		D	2	5	140.0	- 206.0	169.8	N/Q	292	- 396	341	924	- 1686	1321	
		D	3	15	190.0	- 218.0	211.9	N/Q	363	- 389	382	1155	- 2241	1702	
				291	30.0	286.0			70	560		50	2241		

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.