

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Muchea

report date 25 Feb 2019

Yarding Change 1351
-43

comparison date 18/02/2019

Muchea cattle sale numbers were static, with 1,351 head yarded in an overall improved quality penning, aided by larger numbers of local cattle. Demand from the trade live export feeders and processors was strong throughout, resulting in a sale where values were 15c to 20c/kg dearer on most types.

Local vealer steers primarily sold from 160c to 292c, remaining firm on lighter types, with those weighing over 330kg up 20c/kg. Local vealer heifers mainly made from 158c to 236c to feeders, up 10c/kg. Yearling steers on supplementary feed going to the trade sold from 250c to 280c, up 10c/kg. The yearling heifers to the trade made from 165c to 266c/kg to remain firm on the large number yarded. Grown steers made from 234c to 264c, up 20c, with one manufacturing bullock weighing over 1,000kg receiving 180c/kg. The grown heifers made from 200c to 238c/kg, remaining firm. Cows, including pastorals, gained 15c to 20c/kg throughout. The better light weights to feeders made from 148c to 198c/kg. Medium weights sold from 120c to 190c, with heavy prime making from 190c to 216c/kg. Light weight bulls to live export gained 20c, making from 220c to 294c, as medium weights made from 220c to 286c, up 10c/kg. Prime heavy bulls gained 20c, receiving from 186c to 228c/kg.

In the pastoral section, the few vealer heifers sold from 60c to 132c to remain firm, and the few yearling steers increased 15c, as light weights made 130c and medium weights received 164c/kg. Heavier weights received from 236c to 250c, up 20c/kg. The grown steers and grown heifers remained firm at 190c for steers and 220c/kg for heifers.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200	FD	C	2	11	278.0	- 278.0	278.0	N/Q	-			506	- 506	506
200-280	FD	C	2	48	170.0	- 292.0	252.2	-4	-			451	- 751	611
	FD	D	2	20	268.0	- 268.0	268.0	28	-			649	- 745	697
280-330	FD	C	2	39	228.0	- 278.0	263.8	-10	-			732	- 909	807
	FD	C	3	27	220.0	- 286.0	268.5	9	-			675	- 921	855
	FD	D	2	3	160.0	- 180.0	173.3	N/Q	-			464	- 522	503
330+	FD	C	2	21	240.0	- 270.0	268.1	N/Q	-			907	- 946	918
	FD	C	3	24	262.0	- 284.0	279.4	21	-			893	- 1002	963
					193	160.0	292.0		0	0		451	1002	
Vealer Heifer														
0-200	FD	C	2	11	222.0	- 224.0	222.2	N/Q	-			408	- 435	411
	PC	E	2	2	60.0	- 60.0	60.0	N/Q	133	- 133	133	106	- 106	106
200-280	FD	C	2	76	218.0	- 236.0	232.2	11	-			480	- 632	555
	FD	C	3	7	170.0	- 234.0	224.0	-24	-			459	- 601	536
	PC	D	2	24	80.0	- 132.0	101.1	N/Q	170	- 275	212	185	- 331	245
280-330	FD	C	2	42	158.0	- 236.0	223.2	18	-			506	- 708	679
	FD	C	3	8	200.0	- 214.0	211.3	-24	-			594	- 638	625
		C	3	1	230.0	- 230.0	230.0	N/Q	460	- 460	460	727	- 727	727
	PC	D	2	17	120.0	- 148.0	141.5	N/Q	255	- 308	296	377	- 456	434
					188	60.0	236.0		133	460		106	727	
Yearling Steer														
200-280	PC	D	2	1	120.0	- 120.0	120.0	N/Q	250	- 250	250	264	- 264	264
280-330		C	2	1	180.0	- 180.0	180.0	N/Q	383	- 383	383	587	- 587	587
330-400	FD	C	2	1	230.0	- 230.0	230.0	N/Q	-			833	- 833	833

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		C	3	20	260.0	- 268.0	262.0	22	520	- 558	530	1013	- 1027	1024
		D	3	1	170.0	- 170.0	170.0	N/Q	362	- 362	362	643	- 643	643
		C	2	1	240.0	- 240.0	240.0	N/Q	500	- 500	500	979	- 979	979
		C	3	32	250.0	- 280.0	269.9	6	500	- 552	532	1082	- 1330	1208
					57	120.0	280.0		250	558		264	1330	
Yearling Heifer														
200-280	PC	D	2	10	130.0	- 130.0	130.0	15	271	- 271	271	308	- 308	308
		E	2	9	20.0	- 80.0	64.7	N/Q	44	- 178	144	42	- 207	163
280-330		C	2	1	122.0	- 122.0	122.0	N/Q	260	- 260	260	373	- 373	373
	FD	C	2	2	170.0	- 186.0	178.0	N/Q		-		513	- 610	562
330-400	PC	D	2	11	164.0	- 164.0	164.0	16	342	- 342	342	492	- 492	492
		D	2	10	148.0	- 148.0	148.0	N/Q	308	- 308	308	453	- 453	453
		C	2	2	248.0	- 248.0	248.0	N/Q	517	- 517	517	935	- 935	935
		C	3	3	250.0	- 266.0	260.7	13	500	- 532	521	970	- 1037	1015
400+		D	2	20	140.0	- 170.0	162.5	N/Q	292	- 354	339	473	- 583	556
		D	3	16	165.0	- 232.0	190.0	N/Q	330	- 483	386	558	- 920	684
		D	2	1	204.0	- 204.0	204.0	N/Q	434	- 434	434	955	- 955	955
	LE	D	3	9	252.0	- 252.0	252.0	N/Q	504	- 504	504	1189	- 1189	1189
		D	3	9	248.0	- 266.0	250.7	N/Q	496	- 532	501	1061	- 1202	1144
	PC	D	3	8	236.0	- 250.0	239.5	22	472	- 500	479	946	- 1203	1010
					111	20.0	266.0		44	532		42	1203	
Grown Steer														
400-500		C	3	1	240.0	- 240.0	240.0	N/Q	480	- 480	480	1200	- 1200	1200
	PC	D	3	1	190.0	- 190.0	190.0	N/Q	380	- 380	380	866	- 866	866
500-600		C	3	1	264.0	- 264.0	264.0	N/Q	508	- 508	508	1357	- 1357	1357
		D	3	4	250.0	- 262.0	255.0	35	481	- 506	488	1295	- 1527	1396
600-750		D	3	5	234.0	- 258.0	253.2	N/Q	450	- 496	487	1441	- 1664	1620
					12	190.0	264.0		380	508		866	1664	
Grown Heifer														
0-540		D	2	4	220.0	- 220.0	220.0	N/Q	440	- 440	440	1034	- 1034	1034
	PC	D	2	4	220.0	- 220.0	220.0	N/Q	440	- 440	440	1034	- 1034	1034
		D	3	2	220.0	- 230.0	225.0	N/Q	431	- 460	446	981	- 1201	1091
540+		D	3	3	200.0	- 238.0	221.3	N/C	400	- 467	440	1196	- 1656	1373
					13	200.0	238.0		400	467		981	1656	
Manufacturing Steer														
540+		D	3	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	1904	- 1904	1904
					1	180.0	180.0		333	333		1904	1904	
Cows														
0-400	FD	D	2	6	180.0	- 180.0	180.0	67		-		689	- 689	689
		D	2	88	120.0	- 180.0	168.5	20	255	- 375	358	479	- 718	622
	FD	E	1	1	34.0	- 34.0	34.0	N/Q		-		115	- 115	115
	FD	E	2	8	30.0	- 100.0	91.3	2		-		95	- 338	303
		E	2	3	42.0	- 42.0	42.0	-54	93	- 93	93	154	- 154	154
400-520		D	2	160	168.0	- 202.0	182.4	16	354	- 421	382	675	- 978	805
	FD	D	2	66	148.0	- 198.0	176.7	N/Q		-		642	- 921	812

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+	FD	D	3	7	198.0	- 198.0	198.0	N/Q	-			1028	- 1028	1028
		D	3	13	188.0	- 210.0	197.2	10	376	- 412	394	959	- 1067	992
		E	2	7	30.0	- 120.0	94.3	N/Q	67	- 267	210	124	- 545	425
		D	2	19	160.0	- 196.0	183.5	7	340	- 408	383	885	- 1341	1085
		D	3	125	190.0	- 216.0	206.9	19	380	- 432	411	1050	- 1637	1232
		D	4	4	204.0	- 204.0	204.0	19	400	- 400	400	1528	- 1528	1528
					507	30.0	216.0		67	432		95	1637	
Bulls														
0-450	LE	C	2	1	190.0	- 190.0	190.0	N/Q	396	- 396	396	610	- 610	610
	LE	D	2	14	200.0	- 240.0	210.9	-40	400	- 480	419	462	- 840	562
		D	2	6	120.0	- 248.0	173.3	57	255	- 496	356	403	- 950	590
450-600	FD	D	3	4	286.0	- 286.0	286.0	N/Q	-			1218	- 1218	1218
	LE	D	3	82	220.0	- 294.0	285.9	18	423	- 562	538	591	- 1050	716
		D	2	7	155.0	- 196.0	174.9	7	330	- 363	348	732	- 1113	906
	FD	D	3	20	268.0	- 268.0	268.0	4	-			1560	- 1560	1560
		D	3	2	180.0	- 192.0	186.0	N/Q	346	- 384	365	1043	- 1051	1047
	LE	D	3	11	220.0	- 222.0	220.7	N/Q	407	- 411	409	1195	- 1257	1217
600+		B	3	1	218.0	- 218.0	218.0	N/Q	376	- 376	376	1923	- 1923	1923
	FD	D	2	1	234.0	- 234.0	234.0	N/Q	-			1446	- 1446	1446
	DA	D	2	2	170.0	- 175.0	172.5	N/Q	340	- 350	345	1503	- 1544	1523
		D	2	3	186.0	- 210.0	200.0	18	358	- 389	375	1451	- 1924	1609
		D	3	19	190.0	- 228.0	215.1	N/C	339	- 400	380	1414	- 2464	1861
					173	120.0	294.0		255	562		403	2464	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.